

SPECIAL OFFER

16 MAGAZINE

Valid from 01 - 08 - 2009 till 31 - 10 - 2009

KÖNIG USB WIRELESS LAN ADAPTER 150 MBPS

- Smallest WiFi dongle available
- Compatible with the latest IEEE802.11n standard
- 150 Mbps data transfer speeds



CMP-WNUSB31

17,55

Page **6**

KÖNIG INFRARED IN-EARTHERMOMETER

- Infrared in-ear thermometer
- Very accurate measurements
- Memory for 10 measurements



HC-EARTHERM60

15,90

Page **32**

KÖNIG WIRELESS ALARM SYSTEM

- Sophisticated and easy to use
- Automatic telephone dialer
- Panic button
- Incl. remote control



SEC-ALARM200

111,90

Page **12**



**Our first Consumer catalogue is out.
We can offer this catalogue also as a business to
consumer catalogue in a blank version.**

**Your customers will find the most popular products of:
Computer, Electronics, Power, Digital Solutions, Sound &
Light, Household, Gaming, Communication and Security**

Lifestyle Electronics & More:

- More than 280 full colour pages
- Only fastmovers
- Very wide assortment



Concept of the month

Retail Fastmover Concept

The professional solution for CE retail with fastmovers for a maximum profit per m²

- High turnover rates
- Wide margins
- Maximum profits per m²
- Up-to-date assortment
- Flexible, modular construction
- More time for your customer!

Request our Retail Support Solutions brochure now!

Fast moving computer accessories and printer cartridges!

König printer cartridge & accessories concept

Replacing or refilling an ink cartridge can cost a lot of money and often results in a mess. With this König retail fastmover concept you'll be able to offer your customer a one-stop shopping solution. Besides a wide assortment of printer cartridges for most common printers, this concept offers fast moving computer accessories such as USB hubs, mouses and notebook skins. With this 1 meter König cartridge concept you offer your customer a complete assortment and make a maximum profit per m².

Cartridges for:

- Brother
- Canon
- Epson
- Remanu

For more information you can contact our sales department





HIGHLIGHT



Take your camera everywhere

Store your digital camera safely and take it along easily in one of these compact camera bags. These bags are ideal for small digital cameras and protect it from shocks, scratches and rain. The belt strap on all the bags keep your hands free when you do not need the camera.



KÖNIG PHOTO BAG

- Dimensions: 100 x 62 x 30 mm
- Material: PVC



KN-CAMBAG700

4,55



KÖNIG PHOTO BAG

- Dimensions: 95 x 66 x 35 mm
- Material: PVC



KN-CAMBAG701

6,18



KÖNIG PHOTO BAG

- Dimensions: 65 x 97 x 30 mm
- Material: PVC



KN-CAMBAG702

6,18



KÖNIG PHOTO BAG

- Dimensions: 115 x 75 x 50 mm
- Material: Neoprene



KN-CAMBAG703

6,60



KÖNIG HIGH QUALITY PHOTO/VIDEO BAG

- Dimensions: 85 x 60 x 35 mm
- Material: Neoprene



KN-CAMBAG704

9,55



KÖNIG CAMCORDER BAG

- Dimensions: 185 x 125 x 75 mm
- Material: EVA



KN-CAMBAG705

7,30



KÖNIG CAMCORDER BAG

- Dimensions: 185 x 125 x 75 mm
- Material: EVA



KN-CAMBAG706

7,30




KÖNIG ALL-WEATHER PHOTO/VIDEO BACKPACK

This professional backpack is lightweight, compact and can hold a surprising amount of equipment like a SLR camera with a lens, two to three extra lenses and some small accessories. The backpack has a rain cover to protect your camera and accessories from weather.

KN-CAMBAG170

25,20





KONIG NOTEBOOK BAG 15.4"

- Material: 1680D nylon
- Notebook: 15.4" and 17"
- Shoulderbelt: Yes
- Hand grip: Yes
- Dividers: 2
- Front pocket: 2
- Back pocket: 1
- Accessory pocket: 3
- Inner dimensions: 400x330x60 mm
- Outer dimensions: 420x380x90 mm



Ordercode: Suitable for: Qty: Price:
KN-NBB300 15.4" **18.55**



KN-NBB310 17" **21.25**



KÖNIG NOTEBOOK BACKPACK

- Material: 900D nylon
- Notebook: 15.4"
- Shoulderbelt: Yes
- Hand grip: Yes
- Dividers: 1
- Front pocket: 1
- Back pocket: 1
- Accessory pocket: 1
- Inner dimensions: 365x310x60 mm
- Outer dimensions: 420x310x100 mm



Ordercode: Colour: Qty: Price:
KN-NBB90 Silver **22.35**



KN-NBB92 Black **22.40**



KÖNIG NOTEBOOK BAG

- Material: 900D nylon
- Notebook: 15.4"
- Shoulderbelt: Yes
- Hand grip: No
- Dividers: 1
- Accessory pocket: Yes
- Inner dimensions: 280x340x40 mm
- Outer dimensions: 300x410x90 mm



Ordercode: Colour: Qty: Price:
KN-NBB82 Green **13.40**




KN-NBB83 Blue **13.40**



KÖNIG MULTIFUNCTIONAL NOTEBOOK TABLE

With this adjustable notebook table you can even work ergonomically in bed or while sitting on the couch.

- Material: Aluminum
- Panel Size: 45 x 25 cm
- Size Folded: 56 x 30 x 4.65 cm
- Weight: 2.2 kg
- Product Bearing: 15 kg



CMP-NBTABLE10

44.70



KÖNIG FLEXIBLE USB NOTEBOOK LIGHT

- For extra lighting on and around your notebook
- With flexible neck
- USB connection



CMP-USBLIGHT

10+ 2.55



KÖNIG USB 2.0 NOTEBOOK COOLING PAD

This aluminum cooling pad is especially designed for extra heat dissipation which will result in a better performing notebook. It features USB 2.0 ports and storage drawers.

- Rated speed: 1500± 10%
- Airflow: 12.5 CFM
- Noise level: <16.9 dB(A)
- Dimensions: 70 x 70 x 1



CMP-COOLER101


23.90



KÖNIG EXTENDABLE NOTEBOOK COOLER

Protect the notebook from overheating with this extendable coolpad. The heat will be dissipated more efficiently and therefore it enhances the performance and life span of the device.

- Powered by USB port
- Fits all kinds of notebooks
- Perfect for travelling



CMP-COOLER110

12.78



The smallest WiFi dongle available!

HIGHLIGHT

Mobile internet is ihot™ and gets more and more accessible. Free WiFi hotspots are increasing and many major franchises such as Starbucks offer free WiFi access, which enables you to check your e-mail wherever you are. The CMP-WNUSB31 is the smallest WiFi dongle available today, and fully compatible with the latest IEEE802.11n standard. Ideal for everybody with a notebook without, or old and slow wireless technology.

NEW

KÖNIG USB WIRELESS LAN ADAPTER 150 MBPS

Easily connect to a wireless network with this extremely compact USB dongle.

- Standard: IEEE802.11n, IEEE802.11b/g
- Interface: USB 2.0
- Speed: Up to 150 Mbps
- Encryption: WEP, WPA, WPA2
- Compatible with: Windows® 2000/XP/Vista Linux and Mac

CMP-WNUSB31

17.55



KÖNIG PCI WIRELESS LAN ADAPTER 300 MBPS



- Standard: IEEE802.11g, IEEE802.11b/g
- Interface: USB 2.0
- Speed: Up to 300 Mbps
- Encryption: WEP, WPA, WPA2
- Compatible with: Windows® 98SE/Me/2000/XP/Vista

CMP-WNPC130

31.10



KÖNIG TURBO WLAN USB ADAPTER



- Standard: IEEE802.11b/g
- Interface: USB 2.0
- Speed: Up to 54 Mbps
- Encryption: WEP, WPA, WPA2
- Compatible with: Windows® 98SE/Me/2000/XP
- Detachable antenna

CMP-WNUSB20

21.20



KÖNIG WLAN USB 150MBPS + ANTENNA



- Standard: IEEE802.11n, IEEE802.11b/g
- Interface: USB 2.0
- Speed: Up to 150 Mbps
- Encryption: WEP, WPA, WPA2
- Compatible with: Windows® 2000/XP/Vista, Linux and Mac.
- Detachable antenna

CMP-WNUSB21

22.38



NEW

KÖNIG HDMI MULTIMEDIA PLAYER

Watch movies, photos and listen to music with this multimedia player. Besides connections for memory cards, USB sticks and external hard drives it's possible to build in a 3.5" S-ATA HDD. Files can be easily transferred to the internal HDD via the USB connection. The player supports a wide range of formats and has a HDMI output which makes this player very versatile.



- Video output: HDMI/VGA/YPbPr/S-Video/Composite
- Video format: PAL/NTSC
- Internal bay: 3.5" S-ATA HDD
- Supported picture formats: JPEG
- Supported audio formats: MP3/WMA
- Supported video formats: MPEG4/AVI/DivX/XviD/MPEG 1/MPEG 2/MPG/DAT/VOB
- Supported subtitles: SMI/SUB/SRT/TXT/PSB/ASS/SSA
- Supported interfaces: USB Host/USB 2.0/SD/MMC/MS memory card slot

CMP-MEDIAPLAY1

100.70



KÖNIG USB 2.0 AUDIO/VIDEO GRABBER

The ideal solution to convert AV & S-Video input in to digital information on a PC or laptop. The connector is powered by USB so no extra adapter is needed.

- Input signal: Composite analogue or S-Video
- Output signal: USB 2.0 & phone jack
- Audio input: External audio source
- Power: 5 V, via USB bus
- Support: 30 frames/sec in 720x480 NTSC
Video resolution
25 frames/sec in 720x576 PAL
Video resolution
- Compatible with: Windows® 2000 / XP / Vista



CMP-USBVGS

22.40



KÖNIG 2.5" HDD ENCLOSURE

Pocket size HDD enclosure with USB 2.0 output. This connection enables easy access to your external data, a quick data transfer up to 480 Mbit/sec and external power supply is not needed.

- Plug & play
- USB powered
- Stable and quick
- Data transfer: up to 480 Mbit/sec
- Storage support: up to 200 G
- Compatible with Windows® XP/Vista
- Dimensions: 121x74.8x13 mm

Ordercode: **Suitable for:** **Qty: Price:**
CMP-MOBSTOR13 2.5" S-ATA **4 / 8.05**

CMP-MOBSTOR14 2.5" IDE **4 / 7.55**



KÖNIG TV CARD PLAYER WITH REMOTE CONTROL

View digital photos, audio and movies on your TV easily without installing complicated equipment. Includes a remote control.

- Memory cards: SD/MMC/MS
- Supported files: MP3/WMA/JPG/DivX
- Equalizer presets: Rock/Classic/Pop/Flat
- Encoding: 24 bit/192 Khz audio DAC
- USB Host



CMP-CARDPLAY10

38.25



KÖNIG FLOPPY DRIVE USB

Very suitable if you want to transfer files from floppy disks to your computer.

- USB interface
- For 3.5" 720 KB or 1.44 MB floppy disks
- Compact and lightweight



CMP-FDDUSB10

19.68



COMPUTER

KÖNIG OPTICAL USB MOUSE

- USB and PS/2 connection
- Scroll wheel
- 3 Buttons
- 400 DPI



CMP-MOUSE41

4+ **7,30**



KÖNIG WIRED OPTICAL MOUSE

- PS/2 Interface
- Scroll wheel
- 3 Buttons
- 800 DPI



CMP-MOUSE14

5+ **4,90**



KÖNIG COMBO OPTICAL MINI MOUSE

- USB and PS/2 connection
- Scroll wheel
- 3 Buttons
- 800 DPI



CMP-MOUSE101

4+ **7,08**



KÖNIG PORTABLE OPTICAL MINI MOUSE

- USB interface
- Scroll wheel
- 3 buttons
- 800 DPI
- Rubber grip
- LED with 24 switching colors



CMP-MOUSE103

4+ **9,40**



KÖNIG MINI WIRELESS OPTICAL MOUSE

- USB interface
- Scroll wheel
- 3 Buttons
- Store dongle in mouse
- Powered by 2x AAA batteries



CMP-MOUSE110

10,55



KÖNIG MINI WIRELESS OPTICAL MOUSE

- USB Interface
- Scroll wheel
- 2 Buttons
- 800 DPI
- Compact dongle



CMP-MOUSE112

17,58



KÖNIG GEL MOUSE PAD

- Mouse pad with gel wrist support
- Innovative form for optimal support
- Colour: Black



CMP-MATGEL20

10+ **4,40**



KÖNIG SEMI FOLDABLE STEREO HEADSET

- Stereo multimedia headset with microphone
- In-line volume control
- High sound quality
- Soft earpads



CMP-HEADSET7

4+ **6,95**



KÖNIG SLIMLINE 2.4 GHZ WIRELESS KEYBOARD

Ultra slim wireless multimedia keyboard with 21 hotkeys.

- 2.4 Ghz RF wireless connection
- 'Slim scissor'-keyswitch
- USB dongle
- Rubber Membrane Key Switch Technology
- Windows® Vista compatible
- QWERTY Lay out



CMP-KB56

23,20



KÖNIG USB WEBCAM WITH NIGHT VISION

- Max. resolution: 1280x960
- Max. framerate: 30 fps
- Microphone: Ja
- Night LED lights



CMP-WEBCAM80

17,05



KÖNIG UPS 1200 V A

With the CMP-UPS1200 you can prevent loss of data, since the UPS offers a buffer between the mains supply and your computer.



- Input: AC 165 V ~ 275 V
- Output: AC 220 V ±10%
- Frequency: 50 Hz/60 Hz
- Delay Time: 6 ms
- Battery: 12 V/7 Ah
- Charge time: 8 Hrs
- Power: 1200 V A

CMP-UPS1200

111.05



KÖNIG TRUE 550 W PSU

Computer power supply unit with active PFC element and a true power output. The power supply unit is equipped with an ultra silent 12 cm fan which creates a good airflow and keeps it cool. The many connectors enable this PSU to supply a variety of components with the power they need.



- 12cm Cooling fan
- ATX Form factor
- Active PFC element
- 20+4 pin male socket connector
- 3x MOLEX connectors
- 4x SATA connectors
- 1x Disc drive connector
- 1x 12 V 4+4pin connector
- 2x PCIe 6+2pin connector
- Sleeve wrapped cables
- Black connectors

Ordercode:

CMP-PSUP350RW

CMP-PSUP450RW

CMP-PSUP550RW

Type:

350 Watt

450 Watt

550 Watt

Price:

42.85

55.90

70.30



KÖNIG FIREWIRE PCI CONTROLLER

- Ports: 3 External/1 internal
- Transfer speed: 100/200/400 Mbps
- Compatible with: Windows® 98 SE/ME/2000/XP and Mac® OS 10



CMP-FW1394/3P

4+ 9.55



KÖNIG USB 2.0 PCI-CARD 4+1 PORTS

Add 4 external USB 2.0 ports and 1 internal USB 2.0 port to your computer via a PCI-connection.



CMP-USBCARD2HS

4+ 7.38



KÖNIG COMPUTER STAND

Elevate your PC 11 cm from the floor and ride it around on the 4 wheels. 2 Wheels have breaks to prevent the cart from rolling away. Suitable for computer cases from 7.5 ~ 25 cm.



CMP-CASESTAND2

2+ 10.40



KÖNIG UNIVERSAL COMPUTER LOCK

- Protect your computer
- 2 Keys included
- Cable length: 1.8 m



CMP-SAFE3

10+ 3.68



UTP CAT5e NETWORK CABLE ON REEL

Unshielded twisted pairs

- Cable type: UTP CAT5e
- Conductors: AWG24, 2 mm²
- Formation: Solid
- Length: 100 m



CMP-NWU5R100S

100+ **0.35**



UTP CAT6 NETWORK CABLE ON REEL

Unshielded twisted pairs

- Cable type: UTP CAT6
- Conductors: AWG24, 2 mm²
- Formation: Stranded
- Length: 50 m



CMP-NWU6R50

100+ **0.40**



TONE GENERATOR AND PROBE

This tone generator and probe are suitable for installing network and checking objects.

- Continuity/fault of a wire
- Polarity of the circuit
- Network or the working voltage of the modular cable



CMP-RCT10

23.45



CAT5E FTP PATCH CABLE



Shielded patchcables for CAT5e installations.

Ordercode:	Length:	Qty.:	Price:
FTP-0007/15	15.0 m	5	4.40



CAT6E FTP PATCH CABLE



Shielded patchcables for CAT6 installations.

Ordercode:	Length:	Qty.:	Price:
FTP-0010/3	3.00 m	10	2.00



CAT5E UTP PATCHCABLE



Unshielded patchcables for CAT 5e installations

Ordercode:	Length:	Qty:	Price:
UTP-0008/10	10.0 m	10	2.65
UTP-0008/30	30.0 m	10	6.70



HIGH-END MONITOR EXTENSION CABLE



- HD15M - HD15F
- With ferrite core
- Double shielded

Ordercode:	Length:	Price:
CABLE-178/10	10.0 m	8.35



Ordercode:	Length:	Price:
CABLE-178/20	20.0 m	15.98



DisplayPort is much smaller than its predecessor, the VGA connection. This new, slimmer size is extremely thin and perfect for mobile and handheld devices. Several large manufactures have now stated that they plan on including the DisplayPort connection in many of their devices.

DISPLAYPORT TO HDMI CABLE



- Connections: DP 20pin - HDMI 19pin
- Length: 1.8 m
- O.D.: 5.5 mm
- Version: DP 1.1

8.78

CABLE-571-1.8



DISPLAYPORT TO DVI CABLE



- Connections: DP 20pin - HDMI 19pin
- Length: 1.8 m
- O.D.: 5.5 mm
- Version: DP 1.1

9.75

CABLE-572-1.8



FIREWIRE IEEE 1394 DIGITAL VIDEO I-LINK CABLE



- Type: Firewire
- Connections: 4pin - 4pin
- Length: 1.80 m

CABLE-270

10+ **2.28**



DISPLAYPORT MALE TO HDMI FEMALE ADAPTER



- Connections: DP 20pin - HDMI 19pin
- Colour: Black
- O.D.: 7 mm
- Version: DP 1.1

10.40

CMP-ADAP571



DISPLAYPORT MALE TO DVI FEMALE ADAPTER



- Connections: DP 20pin - DVI 24+5pin female
- Colour: Black
- O.D.: 7 mm
- Version: DP 1.1

10.65

CMP-ADAP572



KÖNIG 2.2 SPEAKERSET



A powerful and fashionable sound set with unique double subwoofer. This set consists out of a so called 2.2 system. Which means it is equipped with 2 satellite speakers and a subwoofer with 2 bass drivers. The double bass output arrangement not only offers a fast low frequency dynamic response but also delivers a very strong sound in which every nuance in the lower frequency ranges is crystal clear. Ideal to use with a computer.



- Driver output power: 2x 17 W + 2x 8 W
- Frequency response: 20 Hz-20 KHz
- S/N ratio: 65 dB
- Sensitivity: 400 mV
- Dimensions subwoofer: 260 x 200 x 260 mm
- Dimensions satellite: 110 x 170 x 115 mm

CMP-SP70

57,28



KÖNIG 2.0 SPEAKER SET



- Connection: 3.5mm
- Speaker: 2x 4" full range
- Dimension: 70 x 205 x 70 mm
- Output: 2x 3-W RMS

CMP-SP20

9,30



KÖNIG KVM EXTENDER VIA UTP

This professional KVM extender allows you to control a PC from another room. This is most commonly used with server applications. Both the transmitter and receiver are equipped with VGA and PS/2 ports. You can connect your monitor, mouse and keyboard, and connect the transmitter and receiver with a CAT5e/6, UTP, FTP or SFTP cable. The cable can be max. 150 m.

- Transmitter:
- Input: HD-15 pin male + 2x PS/2
 - Output: HD-15 pin female + RJ45
- Receiver:
- Input: RJ45
 - Output: HD-15 pin female + 2x PS/2
 - Max. resolution: 1280 x 1024
 - Video bandwidth: 150 MHz
 - Power: DC5V / 1A
 - Housing: Metal



CMP-REPEATKVM1

119,90



KÖNIG 4 PORT USB KVM SWITCH



Choose which computer you want to work on with the switch or by pressing a key combination.

- Control 4 computer systems with only 1 VGA monitor, 1 USB keyboard and one USB mouse.
- 2 KVM cables of 1.80 m (incl.)

CMP-KVMSWIT75

43,10



KÖNIG MASTER/SLAVE DISTRIBUTION BOARD WITH SURGE PROTECTION

Power on/off your PC and peripherals through your PC power button.

- 1 Master outlet & 5 slave outlets
- CX/RJ11 connections
- Child safety shutters
- Telephone line protection
- Coax/DSS protection
- 10 A resettable circuit breaker
- Maximum 2200 W
- 1-Pole rocker switch
- Cable: 1.80 m



CMP-MSSP06

17,58



KÖNIG MINI BLUETOOTH® 2.0 USB ADAPTER

- Micro adapter which can stay in the USB port
- Range up to 20 m
- Data transfer speed up to 3 Mbps
- Compatible with: Windows® 2000/XP/Vista



CMP-BLUEKEY31

9,58




KÖNIG WIRELESS ALARM SYSTEM



Sophisticated and easy to use wireless alarm system with built-in telephone dialer. In case of an intrusion, the system will trigger an alarm sound, and directly call the programmed numbers. The incorporated alert mode alerts the user when something is happening inside the house. It's easy to check the system and sensors status by calling in and entering a programmable user password.

This system enables the user to program 5 different zones, and use up to 10 sensors. With a panic button on control panel and remote control for emergency situations.

- Built-in telephone dialer
- Alert/alarm mode
- Up to 5 programmable zones
- System check by phone



SEC-ALARM200

111,90



KÖNIG WIRELESS DOOR/WINDOW SENSOR

Wireless door and window sensor for use with the SEC-ALARM200 alarm system.

- Frequency: 433 MHz
- Power: CR2032 battery (included)



SEC-ASDW10

14,80



KÖNIG WIRELESS MOTION SENSOR

Wireless motion sensor for use with the SEC-ALARM200 alarm system.

- Frequency: 433 MHz
- Power: 9 V battery (included)
- Suitable for indoor or outdoor use
- Motion detecting range 110°/12 m
- Adjustable sensitivity



SEC-ASMS10

20,75



KÖNIG ALARM SYSTEM REMOTE CONTROL

Remote control for use with the SEC-ALARM200 alarm system.

- Frequency: 433 MHz
- Functions: Arm, Disarm, Panic button



SEC-ASRC10

12,65



KÖNIG ALARM WITH MOTION DETECTION

- Mini alarm with motion detection
- Easy to operate with remote control
- Quick installation without any wiring
- Preprogrammed exit and entry delay
- Perfect for securing any room or area



SEC-APR10

14,80



HQ PLUG-IN GAS DETECTOR 230 V

- Detectable gases: LPG, natural gas, coal gas
- Power supply: 100 V AC - 240 V AC/50-60 Hz
- Power consumption: < 4 W
- Alarm volume: > 85 dB
- Dimensions: 67 x 67 x 112 mm
- Weight: 122 g



EL-GD10

12,70



KÖNIG PROFESSIONAL COLOUR CCTV CAMERA

Professional colour CCTV camera.

- Pickup device: 1/3" CCD
- Resolution: 480 lines
- Illumination: 1 Lux
- Lens mount: CS
- Iris: DC
- White balance: Auto

Supplied without adapter (SEC-P.SUP.10), lens and bracket



SEC-CAM210

140.70



KÖNIG 12V STABILIZED SWITCH-MODE POWER SUPPLY

- 450 mA

SEC-P.SUP.10

6.25



KÖNIG CCTV QUAD PROCESSOR WITH 4 CAMERAS

CCTV quad processor with 4 colour cameras. The ideal complete system for security and observation.

- Suitable for every TV and video (harddisk) recorder
- Settings: Full Screen, Quad Screen, Various Picture In Picture modes, Zoom, Motion & Video Loss Detection, Picture Freeze, Alarm, Event Report, Auto Sequence and Buzzer.
- Adjustable: Brightness, Contrast and Sharpness
- Cables and remote control (incl.)



SEC-UNIT20

275.20



KÖNIG 4 CHANNEL SECURITY HDD RECORDER WITH USB AND REMOTE CONTROL

Compact hard disk recorder with built-in quad processor for basic CCTV systems.

- 4 Channel camera input
- 1 Monitor output
- MJPEG compression
- 25 fps frame rate
- Quad processor
- Motion detection
- Password protection
- Harddisk capacity to 300 Gb
- USB 2.0
- Dimensions: 185x125x80 mm
- Power: 100~240 V AC/DC 12 V, 3 A
- ATA-100 interface
- Supplied without harddisk



SEC-DVR201

146.40



KÖNIG 4 CHANNEL SECURITY HDD RECORDER WITH LAN

Professional digital HDD recorder with network connection.

- 4 Channel camera input
- 1 Channel audio input
- 2 Monitor output
- MJPEG compression
- 50 or 100 fps frame rate
- Built-in quad processor
- Resolution: 720x576
- 4 Channel sensor input (NO or NC)
- 1 Channel alarm output (NO or NC)
- Supplied without harddisk
- RJ45 network interface
- RS485 PTZ interface
- Included software and remote control
- Motion detection
- Video loss alarm
- Harddisk capacity to 300 GB (Seagate recommended)
- Windows® Vista and Internet Explorer 7.0 compatible
- Dimensions: 430x295x65 mm
- 100~240 V AC/DC 12 V, 5 A Power supply



SEC-DVR210

312.00





KÖNIG CHARGE STATION SUITABLE FOR NINTENDO Wii™

Charge 2 Wii™ Mote batteries so you can keep on playing. This charging station charges 2 batteries simultaneously via an AC power adapter. The set includes two 1200 Mah lithium batteries suitable for the Wii™ Mote.

- Power: 220 V AC/ 5 V USB cable
- Batteries: 2x 1200 Mah lithium batteries
- Charge time: 3 hrs
- Life span: 60 hrs (fully charged)
- Lifecycle batteries: +/-500 charges



GAMWII-CHARGE3

16.60

KÖNIG MULTIFUNCTIONAL CHARGER FOR Wii™

Multifunctional charger. Ideal to tidy up all your controllers and essentials. Includes a cooling fan, storage space for 2 Nunchuks, 2 recharge stations for the Wii™ Motes and a battery charger for 2 AA batteries. Includes 2 rechargeable battery packs.

- 2x Nunchuck stand
- 2x Wii™ Mote stand
- Cooling fan
- Blue LED lights
- On/off switch
- Charger for 2x AA batteries



GAMWII-CHARGE2

21.75

KÖNIG GUN FOR Wii™ WITH LASERPOINTER

This gun makes shooting games more fun and realistic. With the build in laser you can mark your target so you'll never miss again!



GAMWII-GUN

10.25

KÖNIG MACHINE GUN FOR Wii™

Make shooting games even more fun and realistic with this machine gun. Both the Wii™ Mote as the Nunchuck can be easily placed. The gun is ideal for first person shooter games. Alternative triggers are supported as well.



GAMWII-MGUN10

9.15

KÖNIG COMPONENT CONNECTIONCABLE FOR Wii™

Component connection cable.

- Length: 1.80 m
- Connectors: Wii™ male <-> 5xRCA plug component



GAMWII-CA02

2+ 10.48

KÖNIG MEGA SPORT PACK FOR Wii™

Picture yourself on a tennis court, baseball field, golf course or in a race car! With this sports pack it is all possible.

- 2x Tennis racket
- 1x Handle
- 1x Flexible handheld
- 1x Steering wheel
- 1x Baseball bat
- 1x Golf club
- 1x Console cooler
- 1x Silicon sleeve
- 2x Crystal cover
- 1x Handstrap
- 1x Wii™ stand
- 1x Wii™ slot Cover
- 1x Wii™ combat pack



GAMWII-SPORTK2

31.90

KÖNIG UNIVERSAL WIRELESS CONTROL PAD

2.4 GHz Wireless controller suitable for XBOX®, PS2® and Game Cube™

- 2 Analogue shoulder trigger buttons
- 8-Way analogue D-Pad
- 2 Built-in vibration-motors



GAME-WCONT20

23,18



KÖNIG STEERING WHEEL FOR PS2® AND PC

Race like your favourite driver with this precision racing wheel. The wheel is suitable for PS2® and PC.

- Analogue brake & accelerator pedals
- Vibration feedback with 2 built-in motors
- Digital and analogue mode
- 180° steering angle



GAME-WHEEL11

23,60



KÖNIG GAMING MOUSE 800/1600/2400 DPI

Stylish optical mouse with a perfect gaming design.

- Resolution: 800/1600/2400 DPI
- Tracking speed: 1500-3000/sec
- Connectors: USB
- Buttons: 6
- Compatible with: Windows® 95/98/Me/NT4.0/2000/XP



GAMPC-MOUSE12

8,40



KÖNIG 6AXIS RACING WHEEL SUITABLE FOR PS3®

Wireless PS3® 6axis racing wheel with vibration feedback. No stand or table needed, and completely wireless via an USB dongle.

- Vibration feedback
- Wireless USB dongle
- Regular buttons on wheel
- Compatible with: PS3® 6axis games
- 4 x AAA batteries (not included)



GAMPS3-WHEEL10

32,80



KÖNIG STARTER KIT FOR DS™ LITE

Starters kit for the Nintendo™ DS Lite which consists of 6 products.

- Car charger
- Earphone
- Carrying case
- Neck strap
- 2x Game case
- Stylus pen



GAMNDS-LSTART1

9,50



KÖNIG EVA CASE FOR PSP®

Protect your PSP® with this case, made of a soft non-abrasive material. With zipper for easy access.



GAMPSP-ECASE10

6,05



KÖNIG CLOCK RADIO BLACK/BLUE



Modern AM/FM clock radio with a clear and dimmable blue LED display.

- Blue dimmable LED display
- AM/FM radio
- 2 Mono speakers
- Sensor touch snooze/alarm
- Battery back-up

HAV-CR76

18.55



KÖNIG RADIO ALARM CLOCK WITH MP3 CONNECTION



Stylish, easy to operate radio to which you can connect e.g. a MP3 player. Also equipped with alarm clock.

- LCD display (backlit)
- Time, date, temp.
- With aux-in
- AM/FM

HAV-TR40

9.58



KÖNIG RETRO TABLE RADIO

This easy to bring, retro table radio is a real trendy must have.



- FM/AM
- Mono
- Retro design
- Wooden housing
- External antenna
- Headphone plug
- Power: 7 V DC/230 V A 50 Hz
- Dimensions: 220x120x130 mm

Ordercode: Color:

HAV-TR10 Cherry



HAV-TR11 Black



Qty: Price:

15.60

15.98

KÖNIG BASIC 3 CHANNEL DJ MIXER

Basic and compact DJ mixer, suitable for connecting and mixing three audio sources.

- 3 Stereo channels
- Crossfader
- Talkover function
- 2x 5 LED level meter
- Output with stereo/mono select



KN-DJMIXER10

27.10



KÖNIG 2 CHANNEL STEREO USB MIXER

This 2 channel mixer is equipped with 2 USB ports which enable you to play music from USB devices. Both channels have a 3 band equalizer.

- Channels: 2
- Equalizer: 3 Band
- Crossfader
- 6.35mm headphone output
- USB connection
- Line/Phono/USB switchable



KN-DJMIXER60

84.40




KÖNIG DIRECT DRIVE TURNTABLE

This direct driven turntable is ideal for starting and semi-professional DJ. Practical design and equipped with a high torque motor for a quick start.



- 33 and 45 RPM
- Starts in less than 0,6 sec
- S-shape tone arm
- Pitch control: ± 10%
- Target light
- Strobe and cue lights
- Cartridge (incl.)



KN-TT20

150.30



KÖNIG PA AMPLIFIER 2X 1000 W

A semi-professional 2x 1000 W mosfet PA amplifier which fits in standard 19" rack cabinets. This amplifier is ideal for advanced DJs, who desire excellent product reliability.

- Maximum output power (1 kHz; THD < 1%):
 - 2x 1000 W @ 4 ohm
 - 2x 500 W @ 8 ohm
- Rated output power (20 Hz-20 kHz; THD < 0.5%):
 - 2x 300 W @ 4 ohm
 - 2x 165 W @ 8 ohm
- Input connectors: RCA, Jack
- Output connectors: Speaker, binding posts, XLR
- Power requirements: 230V ~ 50/60 Hz
- Dimensions: 483 x 88 x 320 mm
- 19" Rack space: 2 RU
- Weight: 10.5 kg



PA-AMP20000-KN

175.90



König Cables On Reel

König offers a broad assortment cables and connectors, and the two brands HQ and König offer a wide choice in quality and price. The new König cables on reel are a further expansion of our assortment. We now offer high quality audio, microphone, video and coax cables on 100 meter reels.




HIGHLIGHT

KÖNIG PROFESSIONAL FLAT AUDIO CABLE

Professional flat audio cable on a 100 m reel. Each conductor is separately shielded. Specially suitable as audio cables.

- Conductors: 2 x 0.14 mm²
- External dimensions: 2.9 x 5.8 mm
- Reel: 100 m
- Colour: Black
- Structure: 18/0.1+45/0.1*2



KN-AC001

100+ **0,38**



KÖNIG PROFESSIONAL MICROPHONE CABLE

Professional balanced microphone cable for sound reproduction (XLR-suitable) on a 100 m reel.

- Conductors: 2 x 0.25mm²
- External dimensions: 6.0 mm
- Reel: 100 m
- Colour: Black
- Structure: 2*8/0.2+96/0.10 with cotton



KN-MC001

100+ **0,55**



KÖNIG PROFESSIONAL THICK AUDIO CABLE

Professional flat audio cable with special shield and insulated cores in cellular polyethylene. Especially suitable for use with gold plated RCA plugs.

- Conductors: 2 x 0.25 mm²
- External dimensions: 4.2 x 8.4 mm
- Reel: 100 m
- Colour: Black
- Structure: 8/0.2+96/0.10*2



KN-AC002

100+ **0,85**



KÖNIG FLEXIBLE MICROPHONE CABLE

Professional balanced microphone cable, with improved enforcement making it more flexible. The cable is 100% shielded and suitable for professional use (XLR-suitable). On a 100 m reel.

- Conductors: 2 x 0.35mm²
- External dimensions: 6.3 mm
- Reel: 100 m
- Colour: Black
- Structure: 2*0.35²+96/0.10TC



KN-MC002

100+ **0,60**



KÖNIG PROFESSIONAL SHIELDED AUDIO CABLE

Professional flat individually shielded audio cable on a 100 m reel.

- Conductors: 3 x 0.14mm²
- External dimensions: 2.3 x 6.9 mm
- Reel: 100 m
- Colour: Black
- Structure: 18/0.1+32/0.1*3



KN-AC003

100+ **0,49**



KÖNIG MICROPHONE CABLE

Professional microphone cable with tinned copper shielding on a 100 m reel.

- Conductors: 2 x 0.08 mm²
- External dimensions: 3.0 mm
- Reel: 100 m
- Colour: Black
- Structure: 2*0.88²+48/0.10TC



KN-MC003

100+ **0,24**



ELECTRONIC


KÖNIG PROFESSIONAL VIDEO CABLE

Professional video cable to connect 6 poles DIN plugs. On a 100 m reel.

- Conductors: 3 x 0.12 mm² + 2 x 0.12 mm²
- External dimensions: 6.0 mm
- Reel: 100 m
- Colour: Black
- Structure: RGB 16/0.1+30/0.1*3+2*16/0.1

KN-VC001

100+ **0,78**



KÖNIG COAXIAL CABLE

Professional RG58 cable on a 100 m reel.

- Type: RG58
- Conductor: 19 x 0.18mm
- External dimensions: 5.0mm
- Impedance: 50 Ohm
- Reel: 100 m
- Colour: Black

KN-RG58

100+ **0,75**



KÖNIG PROFESSIONAL VIDEO CABLE

Professional round video cable separately shielded and insulated. Tinned core and shield, suitable to connect 4poles S-VHS plugs. On a reel of 100 m

- Conductors: 2 x 0.08 mm²
- External dimensions: 4.8 mm
- Reel: 100 m
- Colour: Black
- Structure: RGB 1212/0.1TC+30/0.10*2

KN-VC002

100+ **0,49**



KÖNIG COAXIAL CABLE

Professional RG59 cable on a 100 m reel.

- Type: RG59
- Conductor: 0.58 mm
- External dimensions: 6.3 mm
- Impedance: 75 Ohm
- Reel: 100 m
- Colour: Black

KN-RG59

100+ **0,80**




KÖNIG SECURITY VIDEO CABLE

Professional and flexible cable which is suitable for security video applications.

- Conductors: 1 x 75 Ohm coax + 2 x 0.75 mm²
- External dimensions: 8.0 mm
- Impedance: 75 Ohm
- Reel: 100 m
- Colour: White
- Structure: 1/0.61+112/0.10+2*0.75

KN-VC003

100+ **1,08**



KÖNIG 120 dB COAXIAL CABLE WITH DOUBLE SHIELDING

- Type: RG6
- Colour: White
- Impedance: 75 Ohm
- Conductor: 1 mm
- Material: CCS
- Outer material: PVC
- Outer diameter: 7.0 mm
- Shield: Aluminum (2x)
- Length: 100 m

CX-RG6-120-KN

100+ **0,22**



KÖNIG PROFESSIONAL VIDEO CABLE

This professional round cable incorporates 5x75 Ohm coax, suitable for video cameras. On a 100 m reel.

- Conductors: 5 x 75 Ohm coax
- External dimensions: 9.8 mm
- Impedance: 75 Ohm
- Reel: 100 m
- Colour: Black
- Structure: 10/0.1+42/0.10*5 with cotton

KN-VC004

100+ **1,38**



KÖNIG 100 dB COAXIAL CABLE

- Type: RG6
- Colour: White
- Impedance: 75 Ohm
- Conductor: 1 mm
- Material: CCS
- Outer material: PVC
- Outer diameter: 6.8 mm
- Shield: Aluminum
- Length: 100 m

CX-RG6-100-KN

100+ **0,19**



KÖNIG VIDEO CABLE FOR VGA

Professional cable for VGA and XGA monitors or special video-applications, on a 100 m reel.

- Conductors: 3x RGB-75 + 7 x 0.08 mm²
- External dimensions: 7.5 mm
- Impedance: 75 Ohm
- Reel: 100 m
- Colour: Black
- Structure: RGB 7/0.12TC+48/0.1*3+7*10/0.1+80/0.12

KN-VC005

100+ **1,58**



KÖNIG 90 dB COAXIAL CABLE

- Type: RG6
- Colour: White
- Impedance: 75 Ohm
- Conductor: 1 mm
- Material: Copper
- Outer material: PVC
- Outer diameter: 6,8 mm
- Shield: Aluminum
- Length: 100 m

Ordercode:

CX-RG6-90-KN

Color:

White

Qty: Price:

100 / 0.30

CX-RG6-90B-KN

Black

100 / 0.30





KÖNIG WIRELESS 2.4GHZ TRANSMISSION SYSTEM

Wireless 2.4GHz transmission system in a very compact housing for sending of audio/video signals. This device is designed to send signals from your equipment such as DVD, SAT, VCR, PC, STEREO etc. Including infra-red extension cable for controlling your equipment.



VID-TRANS10SKN

47.90



KÖNIG 2.4 GHZ WIRELESS AUDIO/VIDEO SYSTEM WITH TV TUNER

Wireless TV system with extra input for an additional audio/video source. With the built-in TV tuner you can program the channels in any desired order.



Transmitter:

- Operating frequency: 2.400 GHz~2.4835 GHz
- Modulation: FM (video and audio)
- Channel (4CH): PLL frequency synthesizer
- Video input: 1 V p-p/75 Ohm
- Audio input: 1 V p-p/600 Ohm (STEREO)
- Built in TV tuner: VHF low, VHF high, UHF
- Standard: PAL B/G
- Memory: 100 Channels

Receiver:

- Operating frequency: 2.400 GHz~2.4835 GHz
- Channel (4CH): PLL frequency synthesizer
- Video output: 1 V p-p/75 Ohm
- Audio output: 1 V p-p/600 Ohm (STEREO)
- IR-transmit frequency: 433.92 MHz

VID-TRANS75KN

99.10



KÖNIG VGA TO HDMI CONVERTER

This converter converts a VGA signal to a HDMI signal. Makes it possible to connect a device with a VGA connection (computer) to a LCD TV with HDMI connection.



- Connectors: 1x input VGA + 2xRCA female
1x output HDMI female
- Compatible with HDMI 1.3

KN-HDMICON20

52.40



KÖNIG DVI TO HDMI CONVERTER

This converter converts a DVI signal to a HDMI signal. This makes it possible to connect a device with a DVI connection to a LCD TV with HDMI connection.



- Connectors: 1x input DVI-D + 1xToslink + 1x RCA coaxial female
1x output HDMI + 1xToslink + 1x RCA coaxial female
- Compatible with HDMI 1.3

KN-HDMICON30

59.10



KÖNIG 3 PORT SWITCH TO HDMI CONVERTER

This converter also functions as a switch. It convert 3 different inputs, such as Component, a DVI and a HDMI output to a HDMI signal output.



- Connectors input: 1x DVI-D
1x PrPbY
1xToslink + 2x RCA female (Audio)
1x HDMI
- Connectors output: 1x HDMI
1xToslink
- Compatible with HDMI 1.3


KN-HDMICON50

116.40



KÖNIG 4 PORT TO 2 PORT HDMI MATRIX SWITCH

This HDMI switch/splitter makes it possible to display any signal from 1 of the 4 inputs to any of the both outputs. Or just select any input signal that should be passed to a specific output port.



- Connections: 4x input HDMI female
2x Output HDMI female
- Compatible with HDMI 1.3

KN-HDMIMAT10

166.40





Our outdoor products for the holiday season!

KÖNIG PORTABLE RADIO

- Digital display
- AM/FM 2 band
- Clock and alarm



HAV-PR10

1+ **9,85**



KÖNIG PORTABLE RADIO

- Digital display
- AM/FM 2 band
- SW 1-7 band
- Clock and Alarm



HAV-PR20

1+ **9,50**



KÖNIG PORTABLE RADIO

- Digital display
- AM/FM 2 band
- SW 1-2 band
- Clock and alarm



HAV-PR40

1+ **11,90**



KÖNIG TRAVELLER TRIPOD

Aluminum tripod with 4-level extendable legs, a 90° vertical platform, a mid level bracing, rubber feet and a level point.



KN-TRIPOD19

1+ **8,20**



KÖNIG PHOTO/VIDEO TRIPOD

Luxurious tripod with a quick release plate, a geared elevator and 90° vertical platform.



KN-TRIPOD30

1+ **9,40**



KÖNIG PHOTO/VIDEO TRIPOD

Professional photo and video tripod with a quick release plate, geared elevator, 90° vertical platform, 2 level points, handle and hook.



KN-TRIPOD40

1+ **17,85**



KÖNIG BINOCULAR

- Classic and elegant design
- Fully coated optics
- Eyecups can be rolled down, if you wear glasses
- Porro prism, large print area
- 12 x 25 (12x zoom, 25mm lens)
- Incl. carrying bag, belt loop, shoulder strap, and cleaning cloth



KN-BINO10

1+ **12,88**



KÖNIG BINOCULAR

- Rubber armor for easy hold
- Eyecups can be rolled down, if you wear glasses
- Roof prism
- Foldable design
- 16 x 50 (16x zoom, 50mm lens)
- 58m @ 1000m
- Multi coated optics
- Incl. carrying bag, shoulder strap, and cleaning cloth
- High quality



KN-BINO40

1+ **38,30**



AZURA FOLDABLE BUCKET

- Waterproof
- Content: 9 liter



HA-BUCKET-10


5+ **5,48**

- Water tight
- Content 11 liter



HA-BUCKET-20

5+ **7,08**



HQ SOLAR TORCH BASIC 3 LEDS

The ideal torch for any camping trip.

- Lamp: 3 Super bright LEDs
- Battery: LIR 2450
- Rechargeable: Solarpanel
- Burn time: Up to 2 hrs
- Dimensions: 153 x 51 x 31 mm



SOL-TORCH-03

1+ **8,70**



HQ SOLAR LED TORCH WITH POWER STRING

The accu can also be charged with a "power cord". If you pull the cord, the battery is charged via a dynamo.

- Lamp: 3 Super bright LEDs
- Battery: LIR 2450
- Rechargeable: Solar panel/power cord
- Burn time: Up to 5 hrs
- Dimensions: 131 x 49 x 21 mm



SOL-TORCH-02

1+ **11,10**



HQ SOLAR GREEN POWER BATTERY PACK

Back up Li-ion battery pack with solar and external DC charging and built-in LED torch. Can be used for any USB device such as MP3, MP4 players, mobile phones and PDA.



SOL-PC01-HQ

1+ **18,08**



HQ DYNASOLAR LED TORCH

LED torch with solar cells and dynamo to charge the battery.

- Lamp: 3 Super bright LEDs
- Battery: LIR 2450
- Rechargeable: Hand dynamo/solar panel
- Burn time: up to 2 hrs
- Dimensions: 152 x 52 x 43 mm



SOL-TORCH-04

1+ **11,10**



HQ 3 IN 1 SOLAR TORCH

The torch is equipped with a bright LCD screen with clock and alarm function and can be well read even in the dark.

- Lamp: 3 Super bright LEDs
- Battery: LIR 2450
- Rechargeable: Solar panel
- Burn time: 130 min.
- LCD Screen
- Alarm sound: 85 dB
- Dimensions: 173 x 51 x 37 mm



SOL-TORCH-01

1+ **14,30**



HQ DYNAMO TORCH-RADIO-CHARGER

You could create always your own power due this emergency tool with Dynamo function. Operated with 3x AA batteries (not included)

- AM/FM radio
- AC Dynamo function
- Swivel telescopic antenna
- 3leds flashlight
- 6Leds for indoor lighth
- Build-in NIMH rechargeable battery
- DC jack IN/OUT
- Battery option 3 x AA (not included)
- Cell Phone charge function
- 5 Cell phone plugs



TORCH-EMC-01

1+ **13,25**



HQ DYNAMO LED TORCH + USB + PERSONAL ALARM FUNCTION

- 5 Super bright LEDs
- Dynamo charge
- USB output
- Mobile phone charging function
- Compass
- Alarm sound



TORCH-LDYN-3

1+ **9,85**



HQ DYNAMO TORCH + MULTI-TOOL

2-in-1 multi tool with 6 LED torch. The ABS housing holds multiple screwdriver tips which can be easily connected to the head of the torch.



TORCH-LDYN-7

1+ **9,30**



HQ TORCH & CAMPING LIGHT

This dynamo torch functions just like a normal 6 LED flashlight, but it can also be used as a camping lantern. Put it on the table and turn on the 5 LEDs in the middle and you have the perfect table lantern. The torch can be charged with the crank dynamo or via the included 12 V DC car plug.



TORCH-LDYN-8

1+ **8,15**




HQ STRAW HAT LED TORCH

- 3 Strawhat LED's
- 2 x AA batteries (not incl.)
- Dimensions: 40x142 mm



TORCH-L-60

1+ **2,20**



HQ HIGH POWER LED TORCH

- 1 W power LED
- Aluminum with anodized surface
- With front glass
- 3x AAA (excl.)
- Dimensions: 30.2 x 94.2 mm



TORCH-L-64

1+ **9,55**



HQ ULTRA BRIGHT LED CAP LIGHT

- 5 LEDs
- Bright white light, 12.000 mcd
- Flashing mode
- Power: 2x CR2032 lithium
- Cap not included



TORCH-L-79

1+ **3,50**



KÖNIG PERSONAL CD/MP3 PLAYER

This useful CD player plays CDs, CD-Rs, CD-RW and MP3 files. Includes a digital neckband and stereo headphones

- Display: dot matrix LCD
- Playtime: 14 hours MP3 music
- Digital anti skip: 45 sec (CD)/120 sec (MP3)
- Power: 2x AA
- Dynamic Bass Boost System



HAV-DISC31

1+ **30,80**



KÖNIG PORTABLE FM RADIO/MP3 SET

Easy to take along sound system with FM radio, SD/MMC card slot, and alarm function. Includes stereo headphones, USB cable, installation CD, removable shoulder belt and AC power adapter.

- 4 integrated speakers
- LCD display
- ID3 tag support
- Mini USB port
- Dimensions: 280 x 85 x 85 mm



HAV-PMS10

1+ **43,10**



KÖNIG PORTABLE RADIO/CD/DVD SYSTEM

Multifunctional and portable top loading DVD player equipped with a 7" foldable screen. Works on 230 V AC or 8x R20 batteries. Includes a remote control.

- Display: 7"
- Radio: AM/FM stereo
- Supported formats: CD/DVD/MPEG-4/CD-R/CD-RW/MP-3 JPEG
- Ports: USB/SD/MMC
- Power: 230 V AC/8x R20 batteries
- Power output: 20 W



HAV-PRDVD10

1+ **146,05**



COBRA PMR RADIO


Base model from the new Cobra range. The PMR Radio has a reach of 5 km with UHF/FM ultra-clear reception. You can choose out of 8 channels and easily check the status of the device on the LCD display.

- Channels: 8
- Range: Up to 5 km
- UHF/FM ultra-clear long distance reception
- Energy saving circuit
- Incl. charger and distributors
- Also runs with AAA batteries



COBRA-MT200C

1 set of 2 **37,90**



COBRA PMR RADIO

The PMR Radio has a reach of 5 km with UHF/FM ultra-clear reception. You can choose out of 8 channels and easily check the status of the device on the LCD display. Includes batteries, charger and two hands free sets.

- Channels: 8
- Privacy combinations: 968
- Range: Up to 5 km
- Dual watch
- UHF/FM ultra-clear long range reception
- Energy saving circuit
- Connections for mic., earphone and speaker
- Incl. charger and distributors
- Also runs with AAA batteries



COBRA-MT800C

1 set of 2 **44,55**



COBRA PMR RADIO


The PMR Radio has a reach of 12 km with UHF/FM ultra-clear reception. You can choose out of 8 channels and easily check the status of the device on the LCD display.

- Channels: 8
- Privacy combinations: 968
- Range: Up to 12 km
- VibrAlert (silent alarm)
- VOX (Voice Activated Transmission)
- Energy saving circuit
- Baby monitor function
- Incl. charger and distributors
- Also runs with AAA batteries



COBRA-MT975C

1 set of 2 **60,78**



HQ USB TRAVEL CHARGER

With this USB travel charger

Charge your PDA or other device through the power net. Ideal for holiday or bussiness trips due to the 4 included plugs.

- 100 - 240 V 60/50 Hz 230 mA

P.SUP.USB100



5+ **8,55**



HQ DUAL USB CARCHARGER

- Input: 12-24 V DC
- Output: 2x USB 5 V DC - 500 mA

P.SUP.USB201



5+ **4,30**



HQ DUAL USB CARCHARGER WITH 12V CIG.PLUG

Universal dual USB car charger with extra 12 V socket.

- Input: 12-24 V DC
- Output: 2x USB 5 V DC-500 mA
12-24 V DC

P.SUP.USB202



5+ **5,78**



HQ USB CARCHARGER 12V

- Input: 12-24 V DC
- Output: USB 5 V DC - 1000 mA

P.SUP.USB203



5+ **4,10**



HQ DUAL USB CHARGER

- Input: 100-240 V AC 50/60 hz
- Output: 2x USB 5 V DC - 500 mA

P.SUP.USB402



1+ **5,75**



HQ 2x USB CAR/HOME CHARGER

- Input: 100-240 V AC 50/60 hz
12 V DC
- Output: 2x USB 5 V DC - 500 mA

P.SUP.USB403



4+ **9,55**



HQ INVERTER

Modified sine wave inverter that converts 12V DC inputvoltage to 230V AC, making it possible to use 230V equipment everywhere. Due to it's shape it fits perfectly in every car's cupholder.

The USB port that is included on this inverter makes it even more versatile.

Through the USB port you can charge and use modern portable USB devices while other devices are using the normal mains plug.



Ordercode: Price:

HQ-INV150WU-12

1 / 25.55



HQ-INV300WU-12

1 / 35.85



HQ INVERTER 600 W / 12V

Inverter for 12 V battery of a car and boat. It will invert the 12 V DC current to 230 V AC.

- Cont.output power: 600 W
- Peak output power: 1500 W
- Dimensions: 280 x 173 x 65 mm

HQ-INV600W/12

1+ **68,00**




HQ 4-WAY CAR SPLITTER 12V + USB

4-Way multiplier car socket with extra USB outlet and lighter socket.

- Input voltage: 12 V DC
- Output voltage: 3x 12 V DC - 10 A Fuse
- Output voltage: 1x 12 V DC
- Output voltage USB: 5 V
- Output current USB: 1000 Ma
- Dimensions: 133x73x40 mm

P.SUP.CARSPL4

1+ **9,25**



TRAVEL ADAPTER SET 4 PLUGS

- For usage of a charger, toothbrush or shaver in other countries
- Suitable for South Europ, USA, France and UK

EL-TRAVELSET01

10+ **3,55**



HQ 6 PORT AUDIO/VIDEO TO HDMI SWITCH + CONVERTER

This converter/switch is the ideal solution to connect up to 6 different devices to your LCD or plasma TV with a single HDMI port. Connect both analogue and digital devices with your TV using the HDMI port media switch.

- Full HD
- Frequency range: 25 MHz ~ 225 MHz.
- Power supply: DC Input 5 V/3 A adapter
- Dimensions(mm): 340x171x39mm
- Inputs: 2x HDMI, 2x analogue (AV,S-VHS or YUV), 2x VGA
- Audio: DTS-HD, Dolby True HD, uncompressed digital audio
- Metal housing
- Supports HDCP compatible devices



AVSWITCH-80
212.70

HQ 2 PORT HDMI MULTIPLIER

With this advanced splitter you can play a HDMI source, like a DVD player or satellite receiver, on two LCD or Plasma screens at the same time. Ideal for presentations or watching a DVD in different rooms in the house simultaneously. Thanks to the built-in enhancer the video as well as the the audio signal keep their quality level from the source till the transmission to the screen. The splitter also supports HDCP suited devices.

- Input 1x HDMI female
- Output 2x HDMI female
- Power DC 5V
- Supports: 480i, 720i, 720P, 1080i and 1080P resolutions
- Indication LED: Power
- Case design: Metal



AVSPLIT-20
75.10

HQ 4 PORT HDMI SWITCH

Connect four different devices to the HDMI connection of the switch and select manually which device to put through.

- Input: 4x HDMI female
- Output: 1x HDMI female

Also available in a 2 port version (= AVSWITCH-20)



AVSWITCH-22
15.20

HDMI 1.3 CABLE GOLD PLATED



- 19pins - 19pins Gold plated hdmi cable

Ordercode:	Length:	Qty: Price:
CABLE-557/1.5	1.50 m	5 / 4.30
CABLE-557/2.5	2.50 m	5 / 5.25

HDMI CABLE 19PIN - 19PIN



- Version: HDMI 1.2
- Gold plated plugs

Ordercode:	Length:	Qty: Price:
CABLE-550G/1.5	1.50 m	5 / 3.75
CABLE-550G/5.0	5.00 m	5 / 6.25

HDMI CABLE 19PIN - 19PIN



- Version: HDMI 1.2
- Nickel plated plugs

Ordercode:	Length:	Qty: Price:
CABLE-550/1.5	1.50 m	5 / 3.25
CABLE-550/5.0	5.00 m	3 / 5.75

HDMI 1.3 CABLE RIGHT ANGLED CONNECTOR GOLD PLATED



- Version: HDMI 1.3
- Gold plated plugs

Ordercode:	Length:	Qty: Price:
CABLE-558/10	10.0 m	11.45

HDMI CONNECTOR KIT

HDMI cable kit to create your own HDMI cable and place it in a cable or behind a wall.

- Connectors: HDMI male
- AWG: 28
- Mounting: Soldering
- Outer material: Plastic
- Number of contacts: 19
- Cable protector: Yes
- Goldplated: Yes



VC-009G-28AWG
5+ 1.95

HDMI CONNECTOR KIT

HDMI cable kit to create your own HDMI cable and place it in a cable or behind a wall.

- Connectors: HDMI male
- AWG: 30
- Mounting: Soldering
- Outer material: Plastic
- Number of contacts: 19
- Cable protector: Yes
- Goldplated: Yes



VC-009G-30AWG
5+ 1.95


HDMI 19PIN DVI-D MALE CABLE



- HDMI 19pin male to DVI-D
- Nickel plated plugs

Ordercode:	Length:	Qty:	Price:
CABLE-551/1.5	1.50 m	5	3.85
CABLE-551/2.5	2.50 m	5	4.40
CABLE-551/10	10.0 m	5	10.18

OPTICAL CABLE



- Optical cable Toslink-Toslink.

Ordercode:	Length:	Qty:	Price:
CABLE-620	1.00 m	5	2.05
CABLE-620/5	5.00 m	5	4.25

HIGH-END OPTICAL CABLE



- High-end optical cable with on both ends a professional Toslink plug.

Ordercode:	Length:	Qty:	Price:
CABLE-623	1.00 m	5	3.50
CABLE-623/5	5.00 m	4	6.18

HDMI CABLE 19PIN - DVI MALE



- HDMI 19pin male to DVI-D
- Gold plated plugs

Ordercode:	Length:	Qty:	Price:
CABLE-551G/10	10.0 m	5	9.75

3.5MM STEREO - 2x RCA PLUGS



Ordercode:	Length:	Qty:	Price:
CABLE-458	1.20 m	5	0.55

CONVERTER OPTICAL - COAXIAL

- Converts optical digital input to coaxial output
- Optical (Toslink) 'IN' to coaxial (RCA) 'OUT'



CONV-OPTCOAX

11.28



3.5 MM STEREO PLUG TO 3.5 MM STEREO PLUG



Ordercode:	Length:	Qty:	Price:
CABLE-404	1.20 m	5	0.65

AUDIO / VIDEO CABLE



Ordercode:	Length:	Qty:	Price:
CABLE-423/5	5.00 m	5	0.88

AUDIO / VIDEO CABLE



- 3P phono plug - 3P phono plug

Ordercode:	Length:	Qty:	Price:
CABLE-521	1.50 m	15	1.25
CABLE-521/10	1.50 m	5	1.98

SCART CABLE



- 21 pin scart plug to 21pin scart plug
- Single shielded

Ordercode:	Length:	Qty:	Price:
SCART 03LC/2	2.50 m	10	1.28

21PIN FLAT SCART CABLE



Ordercode:	Length:	Qty:	Price:
SCART 22	1.50 m	10	2.50

HQ HIGH QUALITY HDMI CABLE



- HDMI male 19pin - HDMI male 19pin
- Version: HDMI 1.3

Ordercode:	Length:	Qty: Price:
HQSS5550-0.75	0.75 m	5 / 9.55
HQSS5550/1.5	1.50 m	5 / 9.40

HQ HIGH QUALITY RCA EXTENSIONCABLE 1.5 M



- Extension cable
- Length: 10 m
- Plugs: 2x RCA <-> 2x RCA socket
- Colour: Black

Ordercode:	Length:	Price:
HQSS3451/1.5	1.50 m	8.55
HQSS3451/2.5	2.50 m	9.30

HQ COMPONENT VIDEO CABLE



- 3x RCA (Y, Cb, Cr) to 3x RCA (Y, Cb, Cr)
- 75 Ohm videocable

Ordercode:	Length:	Qty: Price:
HQSS3811/1.5	1.50 m	8.15

HQ RCA CONNECTION CABLE



High Quality digital coaxial cable with gold plated 24 K phono plugs for digital and analogue A/V signals.

- Also suitable for connecting a DVD, CD, MD and MP3 players

Ordercode:	Length:	Qty: Price:
HQSS3471/1.5	1.50 m	5.35

HQ HIGH QUALITY TOSLINK CABLE



- Optical cable suitable for digital data transfer
- On both sides a 24k gold-plated Toslink plug

Ordercode:	Length:	Qty: Price:
HQSS4623/0.75	0.75 m	5.85

HQ SILVER OPTICAL 3 PORT SWITCH




HQSSOPTSW1

5+ 6,70



HQ LCD BRACKET




- Screensize: 10" to 23"
- Distance to the wall: 106-349 mm
- Max. weight: 15 kg
- Material: Steel
- Turnable: 180°
- Tilttable: 20°
- VESA 50/75/100/200

TVS-LCD220/HQ
14,80



HQ TILTABLE WALLBRACKET




- Screensize: 34" to 63"
- Distance to the wall: 76 mm
- Max. weight: 75 kg
- Material: Steel
- Turnable: No
- Tilttable: 15°

TVS-PLSM210/HQ
2+ 33,50



HQ FIXED UNIVERSAL PLASMA AND LCD WALL MOUNTING BRACKET



- Screensize: 37" to 63"
- Distance to the wall: 50 mm
- Max. weight: 80 kg
- Material: Steel
- Rotatable: No
- Tilttable: No

TVS-PLASM125

41,50



HQ LIGHTWEIGHT HEADPHONES

30mm neodymium drivers for a superb sound. Self adjusting ear cups for a perfect fit and comfort.

- Frequency range: 18 - 20.000 Hz
- Power: 50 mW
- Impedance: 32 Ohm
- Sensitivity: 105 dB
- Connection: 3.5mm plug
- Cable length: 1.10 m



HQ-HP113LV

5+ **3,60**



HQ IN-EAR HEADPHONES WITH LUXURY MP3 CORD

High quality in-ear headphones with neodymium drivers for a powerful and clear sound. Neck strap equipped with magnet clips for storage of the headphones when not in use.

- Frequency range: 20 - 20.000 Hz
- Capacity: 15 mW
- Impedance: 32 Ohm
- Sensitivity: 110 dB
- Connection: 3.5mm plug
- Cable length: 0.7m

HQ-HP120IE

2+ **5,80**



PHILIPS IN-EAR HEADPHONES

In-ear headphones with twin vents to bring a more balanced, natural sound and enjoy your music even more.

- Frequency range: 12 - 22.000 Hz
- Power: 50 mW
- Impedance: 16 Ohm
- Sensitivity: 106 dB
- Connection: 3.5mm plug
- Cable length: 1.00 m



SHE2550

6+ **6,08**



PHILIPS STEREO HEADPHONES

Full-size, lightweight headphones with fully adjustable headband and ear shells. For musicplayers, TV or PC.

- Adapterplug: 3.5 - 6.3 mm



SHP2000

6+ **12,30**



PHILIPS UNIVERSAL REMOTE CONTROL

- A simple and smart universal remote control for easy TV zapping
- Operates more than 800 brands



SRU1010

10,38



HQ CD STORAGE BAG

- With soft padded sleeves to prevent damage
- Suitable for 24 CDs
- 1 CD per side




HQ-CDS1024

10+ **2,08**



HQ CD STORAGE BAG

- With soft padded sleeves to prevent damage
- For 96 CDs
- 2 CDs per side



HQ-CDS1096

5+ **5,48**



HQ CD STORAGE BAG

- Extra large bag which can store 200 CDs
- Soft padded sleeves to protect your CDs
- 4 CDs per side (2x2)



HQ-CDS1200

6+ **8,88**



KÖNIG PC PROGRAMMABLE REMOTE CONTROL KIT

PC programmable remote control. Enables replacement of over 100.000 original remotes for e.g. TV, VCR, DVD, terrestrial digital receivers. The included software enables programming the remote control via USB/IR interface.

- Programmable: 4-in-1
- Emitting: IR
- Batteries: 2x AAA (not incl.)
- Compatible with: Windows® 98SE/ME/2000/XP/Vista



IR-SMARTRC01KB

21,68



KÖNIG PC PROGRAMMABLE REMOTE CONTROL

PC Programmable remote control. Enables replacement of over 100.000 original remotes for e.g. TV, VCR, DVD, terrestrial digital receivers.

- Emitting: IR
- Batteries: 2x AAA (not incl.)
- Programmer IR-SMARTRC01KB or IR-SMARTRC01KW necessary



Ordercode:

IR-SMARTRC01B

Color:

Black

Qty: Price

12.55



IR-SMARTRC01W

White

12.55



HQ NIMH R6 BATTERY

- Capacity: 2500 mAh
- Voltage: 1.2 V
- System: NiMH
- IEC code: HR6
- Other: AA, Penlite, Mignon, AM3



HQ-NIMH-R6/25

16+ **2,65**



HQ FAST CHARGER AA/AAA + 4x2300mAh AA

- Desktop charger
- Charging time 2-5 hours
- Suitable for 2 or 4 AA or AAA batteries
- 2 charging circuits
- Microprocessor controlled
- Delta-V function
- Safety timer
- 4 pcs NiMH 2300mAh AA batteries included



HQ-CHARGER30

17,50



HQ UNIVERSAL FAST CHARGER

- Desktop model
- Suitable for charging AAA, AA, C and D cells (2 or 4pcs) and a 9V block battery (1 pcs)
- 2 Charging circuits
- For charging NiCd and NiMH batteries
- Delta V detection
- Safety timer
- Trickle charging
- Refresh function for recovery of old cells
- Discharge function
- LED's to indicate when batteries are fully charged



HQ-CHARGER80

12,55



VARTA SPECIAL OFFER Ready2Use AA + AAA

Promotion package: 4 AA + 2 AAA free of charge

Ready2Use blister contains:

- 4x AA NiMH 2100 mAh
- 2x AAA NiMH 800 mAh

Ready2Use batteries do not need to be charged before first use!



VARTA-567R2USO

10,95



HQ CR123A INTELLIGENT CHARGER

High speed charger designed for charging rechargeable CR123A batteries.

- Incl. 2 rechargeable CR123A batteries



HQ-CHAR-CR123

29,70



VARTA SPECIAL OFFER AA-AAA + USB CHARGER

Varta NiMH special deal

Blister packaging content:

- 2 x AA NiMH 2700mAh
- 2 x AAA NiMH 1000mAh
- Free USB Charger



VARTA-R3R6+USB


12,65



HQ POWER STRIP SCHUKO

3-way power strip with child safe metal spring mechanism.

- 3G1.5 mm² H05VV-F 4-75
- 220 - 240 V
- Max. 16 A / 3500 W



Ordercode: Length: Colour: Qty: Price:
EL-PS030B3-HQ 3.00 m Black 4 / 6.38



EL-PS030B5-HQ 5.00 m Black 4 / 8.45



HQ LEAD ACID BATTERY

- Voltage: 6 V
- Capacity: 4 Ah
- Dimensions: 70 x 47 x 101 mm



BAT-LEAD-07

4+ **6,25**



PANASONIC LEAD ACID BATTERY

- Type: LCR127R2PG
- Voltage: 12 Vt
- Capacity: 7.2 Ah (10H)
- Dimensions: 151x64.5x94 mm



PAN-LCR-12

25,20



HQ AM/FM INDOOR ANTENNA

Indoor antenna for AM/FM stereo reception

- With built-in 25 dB amplifier
- Works on 230 V



ANT 108

11,15



KÖNIG FM/TV INDOOR ANTENNA

Indoor antenna with a built-in amplifier and an adjustable dish.

- Frequency range: 40 ~ 862 Mhz
- Gain: VHF 20 dB, UHF 36 dB
- Gain control: VHF 15 dB, UHF 25 dB
- Impedance: 75 Ohm
- Dish: ø 28 cm



ANT 100S-KN

10,89



HQ CARAVAN ANTENNA

Active radio and TV antenna for the reception of analogue and digital (DVB-T) signals. Includes an amplifier, DC cable, 6 m coax cable and mounting material.

- Frequency range: 40 ~ 862 Mhz
- Gain: 22 ~ 24 dB
- Impedance: 75 Ohm
- Power: 12 V DC or 220 V AC



ANT 107PLUS

19,98



KÖNIG DESIGN DVB-T ANTENNA

Easy to install digital antenna for in house use.

- Frequency range: 40~230/470~862 mhz
- Amplifier gain: 22 dB
- Cable length: 1.50 m
- Incl. power adapter



KN-DVBT-IN61

2+ 12,60



KÖNIG PHOTOFRAME DVB-T INSIDE-AUREAL

You can now use your DVB-T antenna as a digital photo frame. Ideal to place in you living room.

- Frequency range: 174~240/470~862 MHz
- Amplifier: 15~18 dB
- Coax cable: 1.50 m



KN-DVBT-IN83

11,45



KÖNIG REMOTE CONTROL EXTENDER

Remote control extender for usage with existing coax cables. 3 IR emitters included.

- Reception range: 7 m
- Reception angle: 45°
- Returnchannel: 10.52 MHz
- Adapter: 2 x 12 V DC, 100 mA
- Carrier frequency: 37 ~ 45 kHz



SAT-IRCABLE

20,40



KÖNIG MONO MODULATOR

- PLL modulator
- RF output: 70 dBµV
- Channel: 21 - 69
- Standard: PAL G
- Built-in test tone generator



SAT-MOD1


16,78



KÖNIG SAT/UHF/VHF COMBINER

This SAT/UHF/VHF combiner can be used to combine a satellite signal with a cable TV signal.

- Frequency
- in 1: 5 - 860 MHz
 - in 2: 950 - 2250 MHz



FC-COMB-SAT-KN

10+ 2,40



HQ VOLTAGE CONVERTER 230 V > 110 V 100 W

Compact converter to connect American 110 V equipment to European 230 V domestic power.

- Input voltage: 200-240 V AC
- Output voltage: 100-120 V AC
- Maximum load: 100 W
- Dimensions: 77 x 54 x 61 mm



P.SUP.34-HQ

13,20



HQ VOLTAGE CONVERTER 110V > 230V 100W

Step up AC-AC converter for indoor use.

- Input voltage: 100-120 V AC
- Output voltage: 200-240 V AC
- Maximum load: 100 W
- Dimensions: 130 x 84 x 68 mm



P.SUP.36-HQ

13,20



HQ 5V SWITCHING ADAPTER WITH EXCHANGEABLE PLUGS

Compact 5V switching adapter supplied with 8 exchangeable plugs, including USB and mini-USB. Therefore it's suitable for a wide range of appliances.

- Input voltage: 100-240 V AC
- Output voltage: 5 V DC
- Output current: 2.5 A
- Outputplugs: 8 including iPod® and mini-USB



P.SUP.SMP5V2A5

9,58



HQ UNIVERSAL 5-15 V SWITCHING POWER SUPPLY 60 W

This compact switching power supply provides a broad range of selectable output voltages.

- Input voltage: 100-240 V AC, 50/60 Hz
- Output voltage: 5.0/6.0/7.5/9.0/12.0 V - max. 5 A 13.5/15 V - max 4 A
- Output plugs: 5 pcs
- Regulated: yes
- Protection: Shortcut and overload protection



P.SUP.SMP60-HQ

30,80



HQ HALOGEN LED LAMP

- Lamp base: GU10
- Power: 3.2 W
- Voltage: 220 - 240 V
- Current: 250 mA
- Light strength: 12 cd
- Colour: Cold white



LAMP GU1020LHQ

10+ 5,70



HQ HIGH POWER LED LAMP

- Lamp base: GU10
- Power: 3 W
- Voltage: 220 - 240 V
- Current: 250 mA
- Light strength: 90 lm
- Colour: Warm white
- No. of LEDs: 3



LAMP L22HQ

25,50



EURO CABLE



Black euro cable with KEMA KEUR and VDE approval

Ordercode: CABLE-704

Length: 1.50 m

Qty: Price: 10 / 1.08



HQ WATERPROOF GROUND BURIED FIXTURE MR16

Waterproof ground buried light for lamps with 50mm diameter and MR16 socket.

- Protection class: III
- Voltage: 12 V
- Halogen: MR16 halogen max. 35 W
- LED: MR16 LED no limit
- Waterproof: IP67
- Socket: GX5.3
- Lamp diameter: 105 mm
- Depth: 135 mm



LAMP FIX-10

20,70



HQ SOLDERING STATION

- LED read out
- Adjustable temp. by a potentiometer
- Temperature range: 150°C to 420°C
- Heater power: 48 W



HQ-SOLDER/20

37,60



AUDIO & DATA NETWORK MAINTENANCE KIT

- Network maintenance kit
- Kit consists of 16 pieces



TL-TK02

76,70



LOUDSPEAKER CABLE ON REEL

- Conductors: 2 x 1.50 mm²
- Reel: 100 m




LSP-050LC

¹⁰⁰⁺ **0,32**



SYTRONIC TRANSPARENT LOUDSPEAKERCABLE

- Conductors: 2 x 1.5 mm²
- Reel: 100 m



LSP-050SYT

¹⁰⁰⁺ **0,85**



TRANSPARENT LOUDSPEAKERCABLE

- Diameter: 2 x 2.50 mm²
- Length: 100 m



LSP-051SYT


¹⁰⁰⁺ **1,15**



VISATON DL10 CEILING MOUNT - 10 CM

Ceiling-mounted speaker with white metal cover (RAL 9010). Suitable for use in all types of hollow ceilings.

- Impedance: 8 Ohm
- Rated power: 20 W
- Maximum power: 30 W
- Mean sound pressure level: 86 dB
- Resonance frequency: 75-20.000Hz
- Cut out diameter: 110 mm
- Built in depth: 43 mm




VS-DL10

23,20

VISATON CEILING SPEAKER 17 CM

HiFi ceiling speaker equipped with a 2-way coaxial driver and quick-snap-in mounting.

- Impedance: 8 Ohm
- Rated power: 50 W
- Maximum power: 70 W
- Pressure level: 90 dB
- Resonance freq.: 50-20.000 Hz
- Cutout diameter: 200 mm
- Built-in depth: 84 mm



VS-DL18/2

43,95



VISATON SALTWATER RESISTANT DRIVER 16CM

Saltwater resistant full-range driver with moulded plastic cone, plastic basket and grill. Absolutely corrosion-resistant and waterproof due to the encased magnet and silicon-coated leads. Suitable for outdoor sound systems around swimming pools for example.

- Maximal power: 80 W
- Nominal power: 60 W
- Impedance: 4 Ohm
- Sensitivity: 86 dB
- Frequency response: 60 - 15000 Hz
- Cutout diameter: 142 mm
- Built in depth: 50 mm



VS-FR16WP/4

16,98



HQ DUSTBAG

Ordercode: **W7-52252/HQ** Content: Rowenta Packaging: Bully 5 Qty: Price: **5 / 4.25**



HQ FILTER+ DUSTBAGS

Ordercode: **W7-51416/HQFP** Content: Miele Packaging: FJM-GN-H 4+1MF+1F Qty: Price: **5 / 4.20**



Ordercode: **W7-51416/HQFP2** Content: Miele Packaging: FJM-GN-H 10+1MF+1FF Qty: Price: **5 / 8.45**




HQ HEPA FILTER FOR MIELE S4000/5000

This special Hepa filter absorbs even the smallest dust parts.

· Alternative for: SF-AH50 - 7226170 Miele

W7-54903-HQ



4+ **10.90**



COMBI FLOOR TOOL ECONOMY

ø 32mm

Suitable for: Electrolux, Fam, Holland Electro, Nilfisk, Numatic

W7-61061-EC



5+ **5.35**



HQ COMBI FLOOR TOOL EC

- With vario adaptor
- For almost all types of vacuum cleaners
- Vario adaptor with rubber gasket
- Metal bottom plate

W7-61501-ECBL



5+ **5.95**




KÖNIG INFRARED IN-EARTHERMOMETER

Very accurate in-ear thermometer.

- Measurement time: 1 sec
- Accuracy: +/- 0.2 °C
- Memory: 10 measurements
- Power: 1 x 3 V lithium battery (CR2032)

HC-EARTHERM60

15.90



PRF AIR DUSTER

- Non-flammable, compressed air to remove dust and dirt
- Suitable for electronic equipment like computers, keyboards, printers, radio and TV sets, VCRs etc
- Content: 400 ml

PRF DUST/520NF



10.28



PRF FOAM CLEANER

- Powerful cleaning foam for multifunctional usage
- Removes dust and grease from glass, wood, metal, etc.
- Application: plastic, windows, mirrors, wood, paintwork

PRF BOOST/520



6.35



PRF LCD/TFT/PLASMA CLEANER

- Special cleaner for LCD/TFT and plasma screens
- Non-flammable and with spray pump
- Content 85 ml

PRF LAPTOP



6.40

